

Lot Clearing Application – Form D

What is the reason for clearing the lot? _____

To what extent will the lot be cleared? _____

How many trees over 8" in diameter will be removed? _____

LOT OWNER: _____ LOT NUMBER: _____

DATE: ____ / ____ / ____ \$25 FEE PAID: YES / NO

WATER AVAILABLE: YES / NO WATER SOURCE: _____

CONTRACTOR: _____

OWNER PHONE: ____ / ____ / ____ CONTRACTOR PHONE: ____ / ____ / ____

This form must be completed and submitted to ACC for review. A \$25.00 fee must be submitted with the application before ACC approval can be issued. There must be an adequate water source available, spigot on lot, or hose from neighboring lot, to control and extinguish any burning done while clearing the lot. You must attend a fire at all times since an unattended fire will result in violations.

ACC approval must be displayed in a waterproof cover at the job site. Having no visible ACC Approval Form will be a violation and a stop work order will be issued.

Once lot has been cleared, it must be maintained by following General Rule #19 the Curb Appeal Rule in the Rules and Regulations. No weeds or grass greater than 12 inches in height are allowed.

OWNER'S SIGNATURE: _____ DATE: ____ / ____ / ____
or

CONTRACTOR'S SIGNATURE: _____ DATE: ____ / ____ / ____

APPROVED BY ACC BY: _____ DATE: ____ / ____ / ____